by guard details only. No exercises were observed in the adjacent training area.

3. Between 20 and 27 January, all was quiet at the Kannenburg firing range. The units, who occupied the camp on 11 January, had left.

25X1

CLASSIFICATION SECRET

25 YEAR RE-REVIEW

	Secret	
	2 ~	2
	According to an order of mid-January, no wood was to be cut on the right side of the Fuerstenberg-Gransce railroad line. The measure affected the districts of the Neuhof, Fuerstenberg, Steinfoerde and Schoenhorn forestries. Between 23 and 27 January, artillery officers surveyed this area and subsequently left for Fuerstenberg. The staked-out lines appeared to indicate trench positions and artillery emplacements. 3	
;	Noter vehicles seen on the Vogelsang-Zehdenick road en route to end from Noue Kaserne northwest of Vogelsang	2
L		
	On 23 February, the News Kaserne northwest of Vogelsang, which was built in 1953, was occupied to capacity by about 3,000 troops wearing red-bordered black epaulets with tank insignia.	2
		25)
	additional permanent quarters were scheduled to be built south- west and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954. The workers' camp south of the installation was being enlarged.	25)
	west and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954. The workers' camp south of the installation was being enlarged. 2  Comment.	
	west and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954.	25) 25 25
	west and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954. The workers' camp south of the installation was being enlarged. 2  Corment.  Enall units of the 25th Tank Div, probably from Frenzlau, conducted advanced combat firing practices at the Templin training grounds between mid-January and mid-February. During the exercises, the troops presumably were quartered in Neue Kaserne northwest of Vogelsang, as hed already previously been observed. The firing practices are confirmed by a previous report from	25 25
	West and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954. The workers' camp south of the installation was being enlarged. 2  Conneut.  Conneut.  Small units of the 25th Tank Div, probably from Frenzlau, conducted advanced combat firing practices at the Templin training grounds between mid-January and mid-February. During the exercises, the troops presumably were quartered in Neue Kaserne northwest of Vogelsang, as had already previously been observed. The firing practices are confirmed by a previous report from Templin and observations in Frenzlau.  Comment. According to available information, New Maserne northwest of Vogelsang is carried occupied by the Illth Tank Regt of the 25th Tank Div. The strength figure in paragraph 6, therefore, is 100 percent too	25 25 25
	West and northeast of the installations during the years between 1954 and 1957, with 18 garages to be built northeast of the installations in 1954. The workers' camp south of the installation was being enlarged. 2  Comment.  Comment.  Small units of the 25th Tank Div, probably from Frenzlau, conducted advanced combat firing practices at the Templin training grounds between mid-January and mid-February. During the exercises, the troops presumably were quartered in Neue Kaserne northwest of Vogelsang, as had already previously been observed. The firing practices are confirmed by a previous report from Templin and observations in Frenzlau.  Comment. According to available information, News Maserne northwest of Vogelsang is carried occupied by the 111th Tank Regt of the 25th Tank	25 25 25
	Comment.  According to available information, New Maserne northwest of Vogelsang is carried occupied by the 111th Tank Regt of the 25th Tank  Div. The strength figure in paragraph 6, therefore, is 100 percent too high. It was repeatedly reported that additional rilitary installations	25 25 25

SECRET